

REFRACTOR AND KERATOMETER AUTOMATIC

MANUFACTURER: RIGHT MEDICAL PRODUCTS INC.

Manufacturer Model# 88449

Manufacturer's PHONE: (757) 963-7064 FAX: (757) 963-7560

Manufacturer's Website: <http://www.rightmedical.com>

AAC 'J' ITEM NSN 6540-01-549-7033

USAMMA POC: Customer Relationship Management 301-619-1288/4301 - DSN 343-1288/4301

UNIT PRICE: \$10,346.27

System Description: The Retinomax K-Plus 2 is a full function handheld autorefractor that can be used anywhere. Measures patients in any position, hospital bed, wheelchair or in your pre-test room. It is great for screening at a school or nursing home. Battery operation eliminates the limitation of being plugged in and allows functionality anywhere. It has full measurement range and advanced measurement modes. The instrument begins readings the instant that alignment and focus is achieved and measurements are terminated automatically when complete. Faster measurement times are complemented by increased accuracy. A retroillumination function highlights media opacities. The elimination of the chinrest makes the examination procedure easier, more relaxed and fun for children. A melody function makes the Retinomax perfect for even the smallest children. Takes simultaneous refraction and keratometry measurements. It can obtain four peripheral measurements with minimal change in measurement time and no additional steps for the operator.

NOTE: USE ONLY DURACELL NICKEL-METAL HYDRIDE BATTERY DR10



RETINOMAX K-PLUS 2
PART # 88449
NSN 6540015497033



RETINOMAX K-PLUS 2
PART # 88449




RETINOMAX K-PLUS 2 CARRYING CASE
PART # 88523



CHARGING STATION
PART # 88511



PRINTER
PART # 88512



BATTERY PACK
PART # 88526



PRINTER PAPER
PART # 88095



MODEL EYE
PART # 88528

REFRACTOR AND KERATOMETER AUTOMATIC

PHYSICAL & ENVIRONMENTAL SPECIFICATIONS

Item Dimensions	Height (Inches)	6.4
	Width (Inches)	8.9
	Length (Inches)	9.3
	Cube (Cubic Feet)	0.3066
	Weight	2.25 lbs
Ship Dimensions	Height (Inches)	22
	Width (Inches)	17
	Length (Inches)	16
	Cube (Cubic Feet)	3.463
	Weight	22 lbs
Storage Temp		14 to 115 °F
Operating Temp		50 to 95 °F
Storage Humidity		10 - 85% Non-condensing
Operating Humidity		30 - 70% Non-condensing
Amps		
Watts		
Power Requirements	6 VDC Duracell Nickel-metal hydride battery DR10	
Notes		

**REFRACTOR AND KERATOMETER AUTOMATIC
ACCESSORIES & CONSUMABLES - STARTUP**

NSN	Notes	Nomenclature	MFR PN Right Medical Products Inc.	DIST PN	QTY	UI	Unit Price	Total Price	Shelf Life Mon.
6540015497033		Refractor and Keratometer Automatic	88449		1	EA	\$10,346.27	\$10,346.27	N/A
		Battery Pack	88526		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
		Maintenance Manual	No Part #		2	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
		Operation Manual	No Part #		2	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
		Power Cable Set	79737		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
		Strap	88514		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6515015550808		Vinyl Cover	88522		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6540014624696		Carrying Case	88523		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6540015518497		Printer	88512		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6540015519819		Printer Paper	88095		1	RO	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6540015520281		Charging Station	88511		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
6540015571922		Model Eye	88528		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
No NSN Required		Blower	No part #		1	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A
No NSN Required		Fuse	No Part #		2	EA	Incl w/NSN 7033	Incl w/NSN 7033	N/A